



NOTES:

1. THE CLEAR ZONE PROHIBITS THE FOLLOWING:
 - VEHICLE PARKING
 - FENCES
 - TREES
 - LARGE BUSHES
 - RETAINING WALLS
 - ANYTHING ELSE THAT MAY INTERFERE WITH OPERATION OF THE FIRE HYDRANT.
2. THE CLEAR ZONE ALLOWS THE FOLLOWING:
 - LAWN GRASS
 - MULCH
 - BARK DUST
 - GROUND COVER
 - LOW PLANTINGS
3. WHEN PLACED WITHIN THE CLEAR ZONE, GROUND COVER COULD BE DAMAGED WHEN HYDRANT IS OPERATED OR MAINTAINED.
4. WHERE ALLOWABLE WITHIN CITY OR COUNTY JURISDICTIONS, HYDRANTS MAY BE PLACED WITHIN THE SIDEWALK, IF THE SPACING REQUIREMENTS ARE MET AS SHOWN.

N:\Standards\2024\Details\DWG\503_Fire Hydrant Clear Zone.dwg, 6/13/2024 10:49:59 AM



TUALATIN VALLEY
WATER DISTRICT

APPROVED BY
PETER BOONE

DRAWING SCALE
NONE

FIRE HYDRANT
CLEAR ZONE

EFF. DATE 07/01/24

STANDARD DETAIL

503